

primo

MAXI/TOUCH/4

12 MONTH CHECK UP!

westomatic
make it happen





12 month Check up!

Step by Step:

1. Check incoming mains water pressure (min. 2-Bar requirement)
2. If required, de-scale Boiler
3. Clean extraction System
4. Check Whipper motor for correct operation
5. Fit new Hygiene kit
6. Check operation of Ingredient Motors
7. Remove and clean Brewer - fit High Pressure Brewer Service Kit
8. Perform Brewer Cleaning Cycle using cleaning tablet
9. Remove upper Grinder Disc, clean both discs
10. Remove and clean Grinder Outlet Chute - check flap operating
11. Check coffee grind and dispensed weight are both correct
12. Check Grind Consistency
13. Test vend all selections - check for leaks and for drink quality
14. Pay vends with door closed (where applicable)

CLEAN!

Safety Checks:

- **PAT test machine** - Insulation & Earth Bond only
- **Check Mains Lead** - for damage/do not connect to extension lead
- **Check Fuses** - correct value and type
- **Check Looms** - connections are free from damage and fully secured


Tools / Parts Required



PAT Tester
 Water Pressure Gauge
 Cross Head Screwdriver
 Grinder Adjuster Spanner
 Door Service Pin
 Gram Scales
 Brewer Service Kit / Tablets
 Hygiene Kit

Estimated Labour Time - 0.75hrs

PARTS LIST



Brewer Service Kit

37mm

PN: 1057167



Brewer Service Kit

44mm

PN: 1057151



Brewer Cleaner Tablets

PN: 1015015



Hygiene Kit

PN: 1057136



Cleaning Brush

PN: 1057158



Grinder Blades

PN: 1057038