

# snackpoint

# TECH SPECS

westomatic  
*make it happen*

## TECHNICAL SPECIFICATIONS

DIMENSIONS	QUATTRO ADVANCED	QUATTRO & MAX	QUINTO ADVANCED	QUINTO & MAX	DUO M	DUO L	TRIO
Width (mm)	900	900	1050	1050	910	1060	750
Height (mm)	1830	1830	1830	1830	1830	1830	1830
Depth with door (mm)	790	790	790	790	790	790	790
Depth without door (mm)	740	740	740	740	740	740	-
Minimum distance from wall to back of cabinet (mm)	100	100	100	100	100	100	100
<b>TEMPERATURE</b>							
Cabinet Configuration Temp	Up to Three Zones: Bottles 6°C, Food 3°C, Snacks 10°C		6°C Stratified		Two Zones: Snack 9°C-14°C / Food 3°C		
<b>ELECTRICAL SERVICES &amp; RATINGS - POWER</b>							
Voltage (Volts)	230-240	230-240	230-240	230-240	230-240	230-240	230-240
Current (Amps)	13	13	13	13	13	13	13
Frequency (Hz)	50	50	50	50	50	50	50
<b>ENERGY</b>							
Idle Phase (watts hrs / hr)	201	201	201	201	228	228	255





OPTIONS

ITEM	DESCRIPTION	AS STANDARD	MACHINE
Audit Capacity	Wireless Telemetry	Optional	ALL
Display	4-line LCD instruction display	Standard	Quattro / Quinto & Max
	2-line LCD instruction display	Standard	Trio
	7-inch touch screen	Standard	Duo M & L, Quattro/Quinto Advanced
Colour	Black	Standard	ALL
Health Control	In built 'health control' feature	Standard	Duo M & L / Trio
LED Lighting	LED product lighting	Standard	ALL
Payment System	Coin and / or cashless payment system	Optional	ALL
	Lockable cash box	Optional	ALL
Graphics	Back-lit fascia panel	Standard	Duo M & L
	Non back-lit fascia panel	Standard	Quattro / Quinto & Max
Secure Vend	In-built secure vend feature	Standard	ALL

# snackpoint

# TECH SPECS

westomatic  
make it happen



Planogram Key:

Snacks

CONFECTIONERY

500ml Bottles

Cans