

primo

COMPACT

LATTE+ FRESH MILK SYSTEM

INSTALL, CLEAN & FILL

westomatic
make it happen



INSTALL LATTE+ MILK FRIDGE

The Latte+ milk fridge is designed to work in combination with the Primo X Compact and the Primo X:

- External Dimensions Fridge: W240xD450xH530mm
- External Dimensions Total: W530xD515xH600mm
- Capacity Milk Fridge: 4.5 litres fresh milk
- Daily Production: 20 Litres
- Weight: 20kg



Check the contents:

- LATTE+ milk system
- LATTE+ cleaning container + lid
- 3 x milk hoses
- 2 x 90° outlet
- Hose connector
- Locking clip, black
- Caps 14.3mm and 17mm
- Drip tray connection
- 4xHigh feet inc. caps
- 150cm power cable
- 50cm internal power cable
- Quick coupling milk stop
- 2 Keys
- Hose, PE,5mm black
- Drain hose coffee machine 1500mm
- RS485 data cable 1000mm
- Female adapter G3/8-8
- 2x Female adapter G3/4-8 elbow
- 2x Tube elbow 90° 8x8
- Tube elbow 90° 6x8
- 9x Locking clip 8mm
- OptiClean alkaline milk system cleaning tablets 85pc
- OptiClean acid milk system cleaning tablets 40pc
- Safety instructions

Parts Included:



NB: The machine will have been set up to your specifications and tested at Westomatic HQ prior to install. All parts have been assembled on the machine. The QR code inside the machine gives access to the **WeSupport** pages with technical information.

1

Place the Fridge on a level surface
Min Clearances:
Rear: 50mm



4

Connect drip tray to drain and slide silicone tube on and guide end to the drain.



2

Remove 2 front feet and place into raised feet. Place ring into raised feet.



5

Guide milk hoses into place, use two if using two types of milk



3

Screw back into place. Tilt machine forwards and repeat for the back feet.



6

Connect milk hose to milk inlet 'MILK-IN' No.1. If using 2, connect milk hose 2 to inlet 2.




7

If using 1 milk, remove milk transfer tube and replace with the quick coupling milk stop to close this outlet



10

Secure hose with locking clip. Seal external holes with caps provided.



8

Connect milk hose to the milk outlet



11

Feed milk hose through into coffee machine and insert 90° outlet



9

Insert milk hose connector. Use lower hole for Primo Compact X and higher hole for the Primo X.



12

Place this end into the spout of the coffee machine



13

At rear of LATTE+, connect the adapter for the water supply to the water inlet and press in the tube elbow.



16

Insert the tube elbow and insert the drain hose. Cut to length. Secure with clip. Feed this into your waste water drain.



14

Press the hose into the elbow and cut to length. Secure with the locking clip. Repeat for the coffee machine.



17

Connect the power cable and insert the other end into the lower part of the cooling unit




15

Insert both hoses into the 2 way divider and secure with locking clips. Insert the water hose into the base and secure with clip.



18

Connect the data cable to both machines. Plug into mains and switch on.



LATTE+ FRESH MILK DAILY CLEANING:

These instructions show the steps for cleaning the Latte+ fresh milk fridge:

- The Latte+ fresh milk fridge must be cleaned **every day**
- The Primo X range will remind you to clean the fridge at a pre-set time each day - the machine won't work unless this is done



1

Remove the milk containers and



2

On touchscreen, select menu, then select 'CLEAN', select 'CLEAN MILK SYSTEM' and click 'DETAILED INSTRUCTIONS'.



Place an empty container below the coffee machine spout.

3

Remove and empty the milk containers. Replace with the cleaning container.



4

Close the door and click next. Cleaning takes about 8 minutes.



5

Remove all containers, clean, and clean hoses. Replace milk containers, fill and click NEXT.



LATTE+ FRESH MILK FILLING:


These instructions show the steps for filling the Latte+ fresh milk fridge:

- Ensure the Latte+ fresh milk fridge and lines are clean
- Clean the fridge before every refill
- Clean the lines daily after use



1

Press menu and choose 'FILL LEFT'



2

Fill milk canisters and press next to continue. the system is now being prepared.



3

If using 2 types of milk, select FILL RIGHT as well.



4

Again, fill the right canister with the appropriate milk. Press NEXT.



5

The milk system is now being filled and will be ready to use.





CONTACT



Westomatic Vending Services Ltd,
Units 7 - 8 Forde Court, Block 4
Forde Road, Newton Abbot,
TQ12 4BT

primo
COMPACT

westomatic
make it happen



+44 (0)1626 323100



sales@westomatic.com



www.westomatic.com